






General			
Vendor:	Allen-Bradley	Mode:	Offline
Revision:	30.011	Key Switch Position:	Offline
Expansion I/O:	0 Modules	Created:	4/4/2019 2:03:41 PM
Slot:	0	Edited:	4/19/2019 12:49:50 PM
Date/Time			
Date and Time:	<offline>		
Time Zone:	<offline>		
Daylight Saving (+00:00):	<offline>		
Enable Time Synchronization:	No		
Is the system time master:	<offline>		
Is a synchronized time slave:	<offline>		
Duplicate CST Master Detected:	<offline>		
CST Mastership disabled:	<offline>		
No CST Master:	<offline>		
Advanced Time Sync			
CIP Sync Time Synchronization:	Disabled		
Advanced			
Controller Fault Handler:	<none>	Match Project To Controller:	No
Power-Up Handler:	<none>	Serial Number:	608860C5
System Overhead Time Slice:	20 %	Allow Consumed Tags to Use RPI Provided by Producer:	No
During unused System Overhead Time Slice:	Run Continuous Task		
SFC Execution			
Execution Control:	Execute current active steps only	Last Scan of Active Step:	Don't scan
Restart Position:	Restart at most recently executed step		
Nonvolatile Memory			
<offline>			
Memory (Estimate)			
Memory Option:	1769-L16ER-BB1B		
Estimated I/O Memory			
Total Memory:	1,048,576 bytes	Max Used:	6,504 bytes
Free Memory:	1,042,072 bytes	Largest Block Free:	1,042,072 bytes
Used Memory:	6,504 bytes		
Estimated Data and Logic Memory			
Total Memory:	393,216 bytes	Max Used:	110,912 bytes
Free Memory:	282,304 bytes	Largest Block Free:	282,304 bytes
Used Memory:	110,912 bytes		
Security:			
Primary Security Authority:	No Protection	Restrict Communications Except Through Selected Slots:	No
Use only the selected Security Authority for Authentication and Authorization:	No	Selected Slots:	
Secondary Security Authority:	No Protection	Changes To Detect:	16#ffff_fff_fff_fff
Use only the selected Security Authority for Authentication and Authorization:	No	Audit Value:	<offline>
Permission Set:			
Port Configuration			
Port 1			
Enable:	Yes		
Port 2			
Enable:	Yes		














EIPDBA_adapter_test	
Controller Properties Listing	1
MainTask	
MainProgram	
Explicit_cmd_dvr1	
Ladder Diagram	2
Explicit_cmd_dvr2	
Ladder Diagram	4
implicit_routine	
Ladder Diagram	6