



OFFICIAL LISTING

NSF certifies that the products appearing on this Listing conform to the requirements of NSF/ANSI/CAN 61 - Drinking Water System Components - Health Effects

This is the Official Listing recorded on June 28, 2024.

IMI Precision Engineering
4060 Lakeside, Solihull Parkway
Birmingham Business Park
Birmingham B37 7XZ
United Kingdom
44 1543 265 275

Facility: Daegu, Korea, Republic of

Mechanical Devices

| Trade Name | Size | Water Contact Temp | Water Contact Material |
|---------------|---------------|--------------------|------------------------|
| [1] [G] | | | |
| Valves | | | |
| D00GR0600 | 06mm x 06mm | D. HOT | MLTPL |
| D00GR0800 | 08mm x 08mm | D. HOT | MLTPL |
| D00GR1000 | 10mm x 10mm | D. HOT | MLTPL |
| D00GR1200 | 12mm x 12mm | D. HOT | MLTPL |
| D20GR0400 | 1/4" x 1/4" | D. HOT | MLTPL |
| D20GR0500 | 5/16" x 5/16" | D. HOT | MLTPL |
| D20GR0600 | 3/8" x 3/8" | D. HOT | MLTPL |
| D20GR0700 | 1/2" x 1/2" | D. HOT | MLTPL |

[1] Models may be followed by suffix for color:

B - Black
G - Gray
W - Natural (white)
TW - True White

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Mechanical Plumbing Devices

Check Valve^[1] [G] [Q]

| | | | | |
|--------------|-----------|--------------|--------------|--------------|
| D00G40600-XB | D00G41000 | D00G41000-XB | D00GE0600-XB | D00GE1000-XB |
| D00GL0600 | D00GL1000 | D00GL1200 | D10GL0800 | |

Valves^[1] [G] [Q]

| | | |
|-----------|-----------|-----------|
| D00G40600 | D00GP0600 | D00GP1000 |
|-----------|-----------|-----------|

[1] Certified for black, natural, or gray valve body.

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

[Q] This product meets the reduced Q test statistic criteria of 1 µg or 0.5 µg for lead per Section 9.5.1.1 of NSF/ANSI/CAN 61.

Pipes and Related Products

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| Trade Name | Size | Water Contact Temp | Water Contact Material |
|-------------------------|-------------|--------------------|------------------------|
| Fittings [1] [G] | | | |
| D00040400 | 4mm | D. HOT | MLTPL |
| D00040600 | 6mm | D. HOT | MLTPL |
| D00040800 | 8mm | D. HOT | MLTPL |
| D00041000 | 10mm | D. HOT | MLTPL |
| D00041200 | 12mm | D. HOT | MLTPL |
| D00041500 | 15mm | D. HOT | MLTPL |
| D00042200 | 22mm | D. HOT | MLTPL |
| D000A0400 | 4mm | D. HOT | MLTPL |
| D000A0600 | 6mm | D. HOT | MLTPL |
| D000A0800 | 8mm | D. HOT | MLTPL |
| D000A1000 | 10mm | D. HOT | MLTPL |
| D000A1200 | 12mm | D. HOT | MLTPL |
| D000A1500 | 15mm | D. HOT | MLTPL |
| D000A2200 | 22mm | D. HOT | MLTPL |
| D00200400 | 4mm x 4mm | D. HOT | MLTPL |
| D00200600 | 6mm x 6mm | D. HOT | MLTPL |
| D00200604 | 6mm x 4mm | D. HOT | MLTPL |
| D00200605 | 6mm x 5mm | D. HOT | MLTPL |
| D00200800 | 8mm x 8mm | D. HOT | MLTPL |
| D00200804 | 8mm x 4mm | D. HOT | MLTPL |
| D00200806 | 8mm x 6mm | D. HOT | MLTPL |
| D00201000 | 10mm x 10mm | D. HOT | MLTPL |
| D00201006 | 10mm x 6mm | D. HOT | MLTPL |
| D00201008 | 10mm x 8mm | D. HOT | MLTPL |
| D00201200 | 12mm x 12mm | D. HOT | MLTPL |
| D00201210 | 12mm x 10mm | D. HOT | MLTPL |
| D00201515 | 15mm x 15mm | D. HOT | MLTPL |
| D00202222 | 22mm x 22mm | D. HOT | MLTPL |
| D00230406 | 6mm x 4mm | D. HOT | MLTPL |
| D00230408 | 8mm x 4mm | D. HOT | MLTPL |
| D00230608 | 8mm x 6mm | D. HOT | MLTPL |
| D00230610 | 10mm x 6mm | D. HOT | MLTPL |
| D00230810 | 10mm x 8mm | D. HOT | MLTPL |
| D00230812 | 12mm x 8mm | D. HOT | MLTPL |
| D00231008 | 8mm x 10mm | D. HOT | MLTPL |
| D00231012 | 12mm x 10mm | D. HOT | MLTPL |
| D00231015 | 15mm x 10mm | D. HOT | MLTPL |
| D00231215 | 15mm x 12mm | D. HOT | MLTPL |
| D00290400 | 4mm x 4mm | D. HOT | MLTPL |
| D00290600 | 6mm x 6mm | D. HOT | MLTPL |
| D00290604 | 6mm x 4mm | D. HOT | MLTPL |
| D00290800 | 8mm x 8mm | D. HOT | MLTPL |
| D00290806 | 8mm x 6mm | D. HOT | MLTPL |
| D00291000 | 10mm x 10mm | D. HOT | MLTPL |
| D00291200 | 12mm x 12mm | D. HOT | MLTPL |
| D00400400 | 4mm x 4mm | D. HOT | MLTPL |
| D00400406 | 1/4" x 6mm | D. HOT | MLTPL |
| D00400600 | 6mm x 6mm | D. HOT | MLTPL |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|-----------|--------------------|--------------|
| D00400800 | 8mm x 8mm | D. HOT MLTPL |
| D00400804 | 8mm x 4mm | D. HOT MLTPL |
| D00400806 | 8mm x 6mm | D. HOT MLTPL |
| D00401000 | 10mm x 10mm | D. HOT MLTPL |
| D00401006 | 10mm x 6mm | D. HOT MLTPL |
| D00401008 | 10mm x 8mm | D. HOT MLTPL |
| D00401200 | 12mm x 12mm | D. HOT MLTPL |
| D00401206 | 12mm x 6mm | D. HOT MLTPL |
| D00401208 | 12mm x 8mm | D. HOT MLTPL |
| D00401210 | 12mm x 10mm | D. HOT MLTPL |
| D00401500 | 15mm x 15mm | D. HOT MLTPL |
| D00402200 | 22mm x 22mm | D. HOT MLTPL |
| D00430400 | 4mm x 4mm | D. HOT MLTPL |
| D00430600 | 6mm x 6mm | D. HOT MLTPL |
| D00430610 | 10mm x 6mm | D. HOT MLTPL |
| D00430800 | 8mm x 8mm | D. HOT MLTPL |
| D00430806 | 6mm x 8mm | D. HOT MLTPL |
| D00430810 | 10mm x 8mm | D. HOT MLTPL |
| D00431000 | 10mm x 10mm | D. HOT MLTPL |
| D00431200 | 12mm x 12mm | D. HOT MLTPL |
| D00431500 | 15mm x 15mm | D. HOT MLTPL |
| D00600400 | 4mm x 4mm | D. HOT MLTPL |
| D00600600 | 6mm x 6mm | D. HOT MLTPL |
| D00600800 | 8mm x 8mm | D. HOT MLTPL |
| D00601000 | 10mm x 10mm | D. HOT MLTPL |
| D00601200 | 12mm x 12mm | D. HOT MLTPL |
| D00601500 | 15mm x 15mm | D. HOT MLTPL |
| D00602200 | 22mm x 22mm | D. HOT MLTPL |
| D006A1006 | 10mm x 6mm x 10mm | D. HOT MLTPL |
| D006A1210 | 12mm x 10mm x 12mm | D. HOT MLTPL |
| D006A2212 | 22mm x 12mm x 22mm | D. HOT MLTPL |
| D006A2215 | 22mm x 15mm x 22mm | D. HOT MLTPL |
| D00820400 | 4mm x 4mm | D. HOT MLTPL |
| D00820600 | 6mm x 6mm | D. HOT MLTPL |
| D00820800 | 8mm x 8mm | D. HOT MLTPL |
| D00821000 | 10mm x 10mm | D. HOT MLTPL |
| D00821008 | 10mm x 8mm | D. HOT MLTPL |
| D00821200 | 12mm x 12mm | D. HOT MLTPL |
| D00900600 | 6mm x 6mm | D. HOT MLTPL |
| D01150418 | 04mm x 1/8" | D. HOT MLTPL |
| D01150428 | 4mm x 1/4" | D. HOT MLTPL |
| D01150618 | 6mm x 1/8" | D. HOT MLTPL |
| D01150628 | 6mm x 1/4" | D. HOT MLTPL |
| D01150818 | 8mm x 1/8" | D. HOT MLTPL |
| D01150828 | 8mm x 1/4" | D. HOT MLTPL |
| D01150838 | 8mm x 3/8" | D. HOT MLTPL |
| D01151028 | 10mm x 1/4" | D. HOT MLTPL |
| D01151038 | 10mm x 3/8" | D. HOT MLTPL |
| D01151048 | 10mm x 1/2" | D. HOT MLTPL |
| D01151238 | 12mm x 3/8" | D. HOT MLTPL |
| D01151248 | 12mm x 1/2" | D. HOT MLTPL |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|-----------|-------------|--------------|
| D01250418 | 4mm x 1/8" | D. HOT MLTPL |
| D01250618 | 6mm x 1/8" | D. HOT MLTPL |
| D01250628 | 6mm x 1/4" | D. HOT MLTPL |
| D01250638 | 6mm x 3/8" | D. HOT MLTPL |
| D01250818 | 8mm x 1/8" | D. HOT MLTPL |
| D01250828 | 8mm x 1/4" | D. HOT MLTPL |
| D01250838 | 8mm x 3/8" | D. HOT MLTPL |
| D01251038 | 10mm x 3/8" | D. HOT MLTPL |
| D01251048 | 10mm x 1/2" | D. HOT MLTPL |
| D01251238 | 12mm x 3/8" | D. HOT MLTPL |
| D01251248 | 12mm x 1/2" | D. HOT MLTPL |
| D01450418 | 4mm x 1/8" | D. HOT MLTPL |
| D01450618 | 6mm x 1/8" | D. HOT MLTPL |
| D01450628 | 6mm x 1/4" | D. HOT MLTPL |
| D01450638 | 6mm x 3/8" | D. HOT MLTPL |
| D01450828 | 8mm x 1/4" | D. HOT MLTPL |
| D01450838 | 8mm x 3/8" | D. HOT MLTPL |
| D01451028 | 10mm x 1/4" | D. HOT MLTPL |
| D01451038 | 10mm x 3/8" | D. HOT MLTPL |
| D01451228 | 12mm x 1/4" | D. HOT MLTPL |
| D01451238 | 12mm x 3/8" | D. HOT MLTPL |
| D01451248 | 12mm x 1/2" | D. HOT MLTPL |
| D02150418 | 4mm x 1/8" | D. HOT MLTPL |
| D02150428 | 4mm x 1/4" | D. HOT MLTPL |
| D02150618 | 6mm x 1/8" | D. HOT MLTPL |
| D02150628 | 6mm x 1/4" | D. HOT MLTPL |
| D02150818 | 8mm x 1/8" | D. HOT MLTPL |
| D02150828 | 8mm x 1/4" | D. HOT MLTPL |
| D02150838 | 8mm x 3/8" | D. HOT MLTPL |
| D02151028 | 10mm x 1/4" | D. HOT MLTPL |
| D02151038 | 10mm x 3/8" | D. HOT MLTPL |
| D02151048 | 10mm x 1/2" | D. HOT MLTPL |
| D02151238 | 12mm x 3/8" | D. HOT MLTPL |
| D02151248 | 12mm x 1/2" | D. HOT MLTPL |
| D02151548 | 15mm x 1/2" | D. HOT MLTPL |
| D02250418 | 4mm x 1/8" | D. HOT MLTPL |
| D02250428 | 4mm x 1/4" | D. HOT MLTPL |
| D02250618 | 6mm x 1/8" | D. HOT MLTPL |
| D02250628 | 6mm x 1/4" | D. HOT MLTPL |
| D02250818 | 8mm x 1/8" | D. HOT MLTPL |
| D02250828 | 8mm x 1/4" | D. HOT MLTPL |
| D02250838 | 8mm x 3/8" | D. HOT MLTPL |
| D02250848 | 8mm x 1/2" | D. HOT MLTPL |
| D02251028 | 10mm x 1/4" | D. HOT MLTPL |
| D02251038 | 10mm x 3/8" | D. HOT MLTPL |
| D02251048 | 10mm x 1/2" | D. HOT MLTPL |
| D02251238 | 12mm x 3/8" | D. HOT MLTPL |
| D02251248 | 12mm x 1/2" | D. HOT MLTPL |
| D02251548 | 15mm x 1/2" | D. HOT MLTPL |
| D02251568 | 15mm x 3/4" | D. HOT MLTPL |
| D02252268 | 22mm x 3/4" | D. HOT MLTPL |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|-------------|-------------------|--------------|
| D022C0418 | 04mm x 1/8" | D. HOT MLTPL |
| D022C0618 | 06mm x 1/8" | D. HOT MLTPL |
| D022C0628 | 06mm x 1/4" | D. HOT MLTPL |
| D022C0638 | 06mm x 3/8" | D. HOT MLTPL |
| D022C0818 | 08mm x 1/8" | D. HOT MLTPL |
| D022C0828 | 08mm x 1/4" | D. HOT MLTPL |
| D022C0838 | 08mm x 3/8" | D. HOT MLTPL |
| D022C0848 | 08mm x 1/2" | D. HOT MLTPL |
| D022C1028 | 10mm x 1/4" | D. HOT MLTPL |
| D022C1038 | 10mm x 3/8" | D. HOT MLTPL |
| D022C1048 | 10mm x 1/2" | D. HOT MLTPL |
| D022C1228 | 12mm x 1/4" | D. HOT MLTPL |
| D022C1238 | 12mm x 3/8" | D. HOT MLTPL |
| D022C1248 | 12mm x 1/2" | D. HOT MLTPL |
| D022C1568 | 15mm x 3/4" | D. HOT MLTPL |
| D042D062W | 06mm x UNS7/16-24 | D. HOT MLTPL |
| D042D062Y | 06mm x UNF7/16-20 | D. HOT MLTPL |
| D042D082W | 08mm x UNS7/16-24 | D. HOT MLTPL |
| D042D082Y | 08mm x UNF7/16-20 | D. HOT MLTPL |
| D042D102Y | 10mm x UNF7/16-20 | D. HOT MLTPL |
| D0LC0400 | 04mm x 5/32" | D. HOT MLTPL |
| D0LC0500 | 05mm x 3/16" | D. HOT MLTPL |
| D0LC0600 | 06mm x 1/4" | D. HOT MLTPL |
| D0LC0800 | 08mm x 5/16" | D. HOT MLTPL |
| D0LC1000 | 10mm x 3/8" | D. HOT MLTPL |
| D0LC1200 | 12mm x 1/2" | D. HOT MLTPL |
| D20040200 | 5/32" | D. HOT MLTPL |
| D20040300 | 3/16" | D. HOT MLTPL |
| D20040400 | 1/4" | D. HOT MLTPL |
| D20040500 | 5/16" | D. HOT MLTPL |
| D20040600 | 3/8" | D. HOT MLTPL |
| D200A0200 | 5/32" | D. HOT MLTPL |
| D200A0400 | 1/4" | D. HOT MLTPL |
| D200A0500 | 5/16" | D. HOT MLTPL |
| D200A0600 | 3/8" | D. HOT MLTPL |
| D200A0700 | 1/2" | D. HOT MLTPL |
| D200A0700 | 1/2" | D. HOT MLTPL |
| D20200200 | 5/32" - 5/32" | D. HOT MLTPL |
| D20200300 | 3/16" - 3/16" | D. HOT MLTPL |
| D20200400 | 1/4" - 1/4" | D. HOT MLTPL |
| D20200405HS | 1/4" x 5/16" | D. HOT MLTPL |
| D20200406 | 1/4" x 6mm | D. HOT MLTPL |
| D20200406HS | 1/4" x 3/8" | D. HOT MLTPL |
| D20200500 | 5/16" - 5/16" | D. HOT MLTPL |
| D20200500HS | 5/16" x 5/16" | D. HOT MLTPL |
| D20200502 | 5/16" x 5/32" | D. HOT MLTPL |
| D20200504 | 5/16" x 1/4" | D. HOT MLTPL |
| D20200506HS | 5/16" x 3/8" | D. HOT MLTPL |
| D20200507HS | 5/16" x 1/2" | D. HOT MLTPL |
| D20200600 | 3/8" - 3/8" | D. HOT MLTPL |
| D20200600HS | 3/8" x 3/8" | D. HOT MLTPL |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|-------------|---------------|--------------|
| D20200603 | 3/8" x 3/16" | D. HOT MLTPL |
| D20200604 | 3/8" x 1/4" | D. HOT MLTPL |
| D20200605 | 3/8" x 5/16" | D. HOT MLTPL |
| D20200605HS | 3/8" x 5/16" | D. HOT MLTPL |
| D20200700 | 1/2" - 1/2" | D. HOT MLTPL |
| D20200700HS | 1/2" x 1/2" | D. HOT MLTPL |
| D20200705 | 1/2" x 5/16" | D. HOT MLTPL |
| D20200706 | 1/2" x 3/8" | D. HOT MLTPL |
| D20230715 | 1/2" x 15mm | D. HOT MLTPL |
| D20290200 | 5/32" x 5/32" | D. HOT MLTPL |
| D20290400 | 1/4" x 1/4" | D. HOT MLTPL |
| D20290406 | 1/4" x 3/8" | D. HOT MLTPL |
| D20290500 | 5/16" x 5/16" | D. HOT MLTPL |
| D20290600 | 3/8" x 3/8" | D. HOT MLTPL |
| D20290700 | 1/2" x 1/2" | D. HOT MLTPL |
| D20390403 | 1/4" x 3/16" | D. HOT MLTPL |
| D20390404 | 1/4" x 1/4" | D. HOT MLTPL |
| D20390505 | 5/16" x 5/16" | D. HOT MLTPL |
| D20390506 | 5/16" x 3/8" | D. HOT MLTPL |
| D20390604 | 3/8" x 1/4" | D. HOT MLTPL |
| D20390605 | 3/8" x 5/16" | D. HOT MLTPL |
| D20390606 | 3/8" x 3/8" | D. HOT MLTPL |
| D20390607 | 3/8" x 1/2" | D. HOT MLTPL |
| D20390706 | 1/2" x 3/8" | D. HOT MLTPL |
| D20390707 | 1/2" x 1/2" | D. HOT MLTPL |
| D20400200 | 5/32" - 5/32" | D. HOT MLTPL |
| D20400300 | 3/16" - 3/16" | D. HOT MLTPL |
| D20400400 | 1/4" - 1/4" | D. HOT MLTPL |
| D20400405HS | 1/4" x 5/16" | D. HOT MLTPL |
| D20400406HS | 1/4" x 3/8" | D. HOT MLTPL |
| D20400500 | 5/16" - 5/16" | D. HOT MLTPL |
| D20400500HS | 5/16" x 5/16" | D. HOT MLTPL |
| D20400502 | 5/16" x 5/32" | D. HOT MLTPL |
| D20400504 | 5/16" x 1/4" | D. HOT MLTPL |
| D20400506HS | 5/16" x 3/8" | D. HOT MLTPL |
| D20400600 | 3/8" - 3/8" | D. HOT MLTPL |
| D20400600HS | 3/8" x 3/8" | D. HOT MLTPL |
| D20400604 | 3/8" x 1/4" | D. HOT MLTPL |
| D20400605 | 3/8" x 5/16" | D. HOT MLTPL |
| D20400605HS | 3/8" x 5/16" | D. HOT MLTPL |
| D20400700 | 1/2" - 1/2" | D. HOT MLTPL |
| D20400700HS | 1/2" x 1/2" | D. HOT MLTPL |
| D20400705 | 1/2" x 5/16" | D. HOT MLTPL |
| D20400706 | 1/2" x 3/8" | D. HOT MLTPL |
| D20430200 | 5/32" x 5/32" | D. HOT MLTPL |
| D20430300 | 3/16" x 3/16" | D. HOT MLTPL |
| D20430400 | 1/4" x 1/4" | D. HOT MLTPL |
| D20430406 | 3/8" x 1/4" | D. HOT MLTPL |
| D20430500 | 5/16" x 5/16" | D. HOT MLTPL |
| D20430504 | 1/4" x 5/16" | D. HOT MLTPL |
| D20430506 | 3/8" x 5/16" | D. HOT MLTPL |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|-----------|--------------------|--------------|
| D20430600 | 3/8" x 3/8" | D. HOT MLTPL |
| D20430700 | 1/2" x 1/2" | D. HOT MLTPL |
| D204A0605 | 3/8" x 5/16" | D. HOT MLTPL |
| D204A0606 | 3/8" x 3/8" | D. HOT MLTPL |
| D20600200 | 5/32" - 5/32" | D. HOT MLTPL |
| D20600300 | 3/16" - 3/16" | D. HOT MLTPL |
| D20600400 | 1/4" - 1/4" | D. HOT MLTPL |
| D20600500 | 5/16" - 5/16" | D. HOT MLTPL |
| D20600600 | 3/8" - 3/8" | D. HOT MLTPL |
| D20600700 | 1/2" - 1/2" | D. HOT MLTPL |
| D206A0640 | 3/8" x 1/4" x 3/8" | D. HOT MLTPL |
| D206A0760 | 1/2" x 3/8" x 1/2" | D. HOT MLTPL |
| D20820200 | 5/32" x 5/32" | D. HOT MLTPL |
| D20820300 | 3/16" x 3/16" | D. HOT MLTPL |
| D20820400 | 1/4" x 1/4" | D. HOT MLTPL |
| D20820500 | 5/16" x 5/16" | D. HOT MLTPL |
| D20820600 | 3/8" x 3/8" | D. HOT MLTPL |
| D20820700 | 1/2" x 1/2" | D. HOT MLTPL |
| D20890600 | 3/8" x 3/8" | D. HOT MLTPL |
| D20890600 | 3/8" x 3/8" | D. HOT MLTPL |
| D20890700 | 1/2" x 1/2" | D. HOT MLTPL |
| D20890700 | 1/2" x 1/2" | D. HOT MLTPL |
| D20900400 | 1/4" x 1/4" | D. HOT MLTPL |
| D20900600 | 3/8" x 3/8" | D. HOT MLTPL |
| D20910700 | 1/2" x 1/2" | D. HOT MLTPL |
| D20910706 | 1/2" x 3/8" | D. HOT MLTPL |
| D21150418 | 1/4" x 1/8" | D. HOT MLTPL |
| D21150738 | 1/2" x 3/8" | D. HOT MLTPL |
| D21150748 | 1/2" x 1/2" | D. HOT MLTPL |
| D21250418 | 1/4" x 1/8" | D. HOT MLTPL |
| D21250428 | 1/4" x 1/4" | D. HOT MLTPL |
| D21250438 | 1/4" x 3/8" | D. HOT MLTPL |
| D21250628 | 3/8" x 1/4" | D. HOT MLTPL |
| D21250638 | 3/8" x 3/8" | D. HOT MLTPL |
| D21250738 | 1/2" x 3/8" | D. HOT MLTPL |
| D21250748 | 1/2" x 1/2" | D. HOT MLTPL |
| D21450638 | 3/8" x 3/8" | D. HOT MLTPL |
| D22250318 | 3/16" x 1/8" | D. HOT MLTPL |
| D22250418 | 1/4" x 1/8" | D. HOT MLTPL |
| D22250428 | 1/4" x 1/4" | D. HOT MLTPL |
| D22250518 | 5/16" x 1/8" | D. HOT MLTPL |
| D22250528 | 5/16" x 1/4" | D. HOT MLTPL |
| D22250538 | 5/16" x 3/8" | D. HOT MLTPL |
| D22250618 | 3/8" x 1/8" | D. HOT MLTPL |
| D22250628 | 3/8" x 1/4" | D. HOT MLTPL |
| D22250638 | 3/8" x 3/8" | D. HOT MLTPL |
| D22250648 | 3/8" x 1/2" | D. HOT MLTPL |
| D22250738 | 1/2" x 3/8" | D. HOT MLTPL |
| D22250748 | 1/2" x 1/2" | D. HOT MLTPL |
| D222C0438 | 1/4" x 3/8" | D. HOT MLTPL |
| D222C0448 | 1/4" x 1/2" | D. HOT MLTPL |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|------------|--------------------|--------------|
| D222C0638 | 3/8" x 3/8" | D. HOT MLTPL |
| D222C0648 | 3/8" x 1/2" | D. HOT MLTPL |
| D222C0648H | 3/8" x 1/2" | D. HOT MLTPL |
| D222C0658 | 3/8" x 5/8" | D. HOT MLTPL |
| D222C0658H | 3/8" x 5/8" | D. HOT MLTPL |
| D222C0748 | 1/2" x 1/2" | D. HOT MLTPL |
| D222C0748 | 1/2" x 1/2mm | D. HOT MLTPL |
| D24150218 | 5/32" x 1/8" | D. HOT MLTPL |
| D24150228 | 5/32" x 1/4" | D. HOT MLTPL |
| D24150318 | 3/16" x 1/8" | D. HOT MLTPL |
| D24150418 | 1/4" x 1/8" | D. HOT MLTPL |
| D24150428 | 1/4" x 1/4" | D. HOT MLTPL |
| D24150518 | 5/16" x 1/8" | D. HOT MLTPL |
| D24150528 | 5/16" x 1/4" | D. HOT MLTPL |
| D24150538 | 5/16" x 3/8" | D. HOT MLTPL |
| D24150628 | 3/8" x 1/4" | D. HOT MLTPL |
| D24150638 | 3/8" x 3/8" | D. HOT MLTPL |
| D24150738 | 1/2" x 3/8" | D. HOT MLTPL |
| D24150748 | 1/2" x 1/2" | D. HOT MLTPL |
| D24250218 | 5/32" x 1/8" | D. HOT MLTPL |
| D24250228 | 5/32" x 1/4" | D. HOT MLTPL |
| D24250318 | 3/16" x 1/8" | D. HOT MLTPL |
| D24250328 | 3/16" x 1/4" | D. HOT MLTPL |
| D24250418 | 1/4" x 1/8" | D. HOT MLTPL |
| D24250428 | 1/4" x 1/4" | D. HOT MLTPL |
| D24250438 | 1/4" x 3/8" | D. HOT MLTPL |
| D24250448 | 1/4" x 1/2" | D. HOT MLTPL |
| D24250518 | 5/16" x 1/8" | D. HOT MLTPL |
| D24250528 | 5/16" x 1/4" | D. HOT MLTPL |
| D24250538 | 5/16" x 3/8" | D. HOT MLTPL |
| D24250548 | 5/16" x 1/2" | D. HOT MLTPL |
| D24250618 | 3/8" x 1/8" | D. HOT MLTPL |
| D24250628 | 3/8" x 1/4" | D. HOT MLTPL |
| D24250638 | 3/8" x 3/8" | D. HOT MLTPL |
| D24250648 | 3/8" x 1/2" | D. HOT MLTPL |
| D24250738 | 1/2" x 3/8" | D. HOT MLTPL |
| D24250748 | 1/2" x 1/2" | D. HOT MLTPL |
| D242C0418 | 1/4" x 1/8" | D. HOT MLTPL |
| D242C0428 | 1/4" x 1/4" | D. HOT MLTPL |
| D242C0528 | 5/16" x 1/4" | D. HOT MLTPL |
| D242C0628 | 3/8" x 1/4" | D. HOT MLTPL |
| D242D042W | 1/4" x UNS7/16-24 | D. HOT MLTPL |
| D242D042Y | 1/4" x UNF 7/16-20 | D. HOT MLTPL |
| D242D052W | 5/16" x UNS7/16-24 | D. HOT MLTPL |
| D242D052Y | 5/16" x UNF7/16-20 | D. HOT MLTPL |
| D242D062W | 3/8" x UNS7/16-24 | D. HOT MLTPL |
| D242D062Y | 3/8" x UNF7/16-20 | D. HOT MLTPL |
| D24450218 | 5/32" x 1/8" | D. HOT MLTPL |
| D24450318 | 3/16" x 1/8" | D. HOT MLTPL |
| D24450418 | 1/4" x 1/8" | D. HOT MLTPL |
| D24450428 | 1/4" x 1/4" | D. HOT MLTPL |

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



| | | |
|-----------|--------------|--------------|
| D24450438 | 1/4" x 3/8" | D. HOT MLTPL |
| D24450528 | 5/16" x 1/4" | D. HOT MLTPL |
| D24450538 | 5/16" x 3/8" | D. HOT MLTPL |
| D24450628 | 3/8" x 1/4" | D. HOT MLTPL |
| D24450638 | 3/8" x 3/8" | D. HOT MLTPL |
| D24450738 | 1/2" x 3/8" | D. HOT MLTPL |
| D24450748 | 1/2" x 1/2" | D. HOT MLTPL |
| D2LC0200 | 04mm | D. HOT MLTPL |
| D2LC0300 | 05mm | D. HOT MLTPL |
| D2LC0400 | 06mm | D. HOT MLTPL |
| D2LC0500 | 08mm | D. HOT MLTPL |
| D2LC0600 | 10mm | D. HOT MLTPL |
| D2LC0700 | 12mm | D. HOT MLTPL |

[1] Models may be followed by suffix for color:

B - Black
G - Gray
W - Natural (white)
TW - True White

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.

9 of 9